## NOTICE

This area of

Canadian Lakes

Do not remove posting signs for 1 day post treatment or until all restrictions have expired, whichever is later

was chemically treated on

Thur. June 19th 2025

WATERBODY MONTH/DAY						
for the control of an aquatic nuisance under: (select one of the following)						
✓ EGLE Permit No. ANC - 9 8 - 07628					✓ ADVANCED POSTING	
or EGLE Certificate of Coverage No. ANC _ 9 7					TREATMENT TO TAKE PLAC	
Permit by Rule, pursuant to S324.3303(2)  ON DATE SHOWN ABO						
The following water use restrictions apply through the expiration date indicated below:						
Check	Chemical	Chemical	DO NOT use	DO NOT use	DO NOT use this	DO NOT use this
All That Apply	Product/	Trade Name(s)	this water for	this water for	water for domestic	water for livestock
Дриу	Active Ingredient		swimming and bathing until	ornamentals or turf irrigation until	purposes or agricultural	watering or similar
	3		Dutining until	inigation until	irrigation until	purposes until
	Di I Dil I I	Tuilerre	6/20	6/23	6/25	6/21
	Diquat Dibromide	Tribune		5.25	5/20	
			2/22			
$\checkmark$	Endothall	Aquathol-K/Hydrothol-191	6/20	N/A	N/A	N/A
			6/20	T (1)(4)		
$\checkmark$	Florpyrauxifen-benzyl	ProcellaCOR	6/20	Turf-N/A	6/21	N/A
				Ornametals-6/21		
$\checkmark$	Chelated Copper	Argos	N/A	N/A	N/A	N/A
		Aigus				
				,		
You are advised to avoid use of this water body the entire day products are advised to avoid use of this water body the entire day products are advised to avoid use of this water body the entire day products are advised to avoid use of this water body the entire day products are advised to avoid use of this water body the entire day products are advised to avoid use of this water body the entire day products are advised to avoid use of this water body the entire day products are advised to a positive day and the entire day products are advised to a positive day and the entire day products are advised to a positive day and the entire day products are advised to a positive day and the entire day are advised to a positive day and the entire day are advised to a positive day and the entire day are advised to a positive day and the entire day are advised to a positive day and the entire day are advised to a positive day and the entire day are advised to a positive day and the entire day are advised to a positive day and the entire day are advised to a positive day and the entire day are advised to a positive day are advised to a positive day and the entire day are advised to a positive day and the entire day are advised to a positive day and the entire day are advised to a positive day and the entire day are advised to a positive day and the entire day are advised to a positive day and the entire day are advised to a positive day and the entire day are advised to a positive day and the entire day are advised to a positive day and the entire day are advised to a positive day and the entire day are advised to a positive day and the entire day are advised to a positive day are advised to a positive day and the entire day are advised to a positive day and the entire day are advised to a positive day and the entire day are advised to a positive day and the entire day are advised to a positive day and the entire day are advised to a positive day and the entire day are advised to a positive day and the entire day are advis						
You are advised to avoid use of this water body the entire day products are scheduled to be applied and until appropriate restrictions have expired. There are no fishing restrictions or fish consumption restrictions. Ornamentals refers to flowers, bushes, shrubs and other types of decorative plantings. Domestic						
use includes but is not limited to: washing of household items, clothes, dishes, etc. Domestic animals (i.e. dogs, cats, etc.) using treated waters fall under the swimming restriction.						
NOTE: Enter date (month/day)  N/A = Not Applicable - (No Restriction)  TBD = To Be Determinded						



2014 N. Saginaw Rd. Suite 160 Midland , MI 48640 989-967-3600 helpmylake.com CERTIFIED APPLICATOR Permit Information:

Department of Environment, Great Lakes, and Energy
Water Division
P.O. Box 30273
Lansing, MI 48909-7773
email: egle-wrd-anc @michigan.gov

The chemicals used for Aquatic Nulsance Control are registered by the U.S. Environmental Protection Agency, and the Michigan Department of Agriculture. The potential for damage to fish and other non-target organisms is minimal provided that the product is used as directed on the product label and the permit. To minimize the possible effects on health and the environment, the treated water is restricted for the above purposes.